



ACE-N-G | NEON GRAZE STATIC WHITE



PROJECT: _____

DISTRIBUTOR: _____

CONTRACTOR: _____

TYPE _____

COMMENTS _____



PHYSICAL

DIMENSIONS	18mm (0.70") WIDTH *18mm (0.70") HEIGHT
MINIMUM BENDING RADIUS	250mm (9.84")
BEND	HORIZONTAL AND VERTICAL BENDING
OPERATING TEMPERATURE	-40°F (-40°C) TO 131°F (55°C)
IP RATING	IP68
MOUNTING	CLIPS OR PROFILE
LEAD TYPE	6FT LEAD SOLD SEPARATELY

ORDERING INFORMATION


PRODUCT	INTENSITY	FEED	CCT	OPTIC	IP	LENGTH
ACE-N-G	XXX	XX	XXK	XXX	68	XXFT
ACE NEON GRAZE	300 = 300 LM/FT	EF = END FEED BF = BOTTOM FEED	27K = 2700K 30K = 3000K 35K = 3500K 40K = 4000K 50K = 5000K	15 = 15° 20 = 20° 25 = 25° 40 = 40° 60 = 60° 2040 = 20°X40°	68 = IP68 OUTDOOR	1FT = 1 FOOT 4FT = 4 FEET 8FT = 8 FEET 12FT = 12 FEET

ACE-N-G | NEON GRAZE STATIC WHITE

ELECTRICAL

OUTPUT	CCT (CORRELATED COLOR TEMPERATURE)				MAX RUN	WATTAGE	INPUT VOLTAGE
	2700K	3000K	3500K	4000K			
~300 LM/FT	269	349	330	295	16'	5.4W/FT	24v DC

OPTIC OPTIONS



PERFORMANCE

CRI	80+
LUMEN MAINTENANCE	50,000
BINNING	SINGLE
WARRANTY	5 YEARS

ACCESSORIES (SOLD SEPARATELY)

AA-N-2W-LEAD-6FT	2 WIRE 6FT IP68 LEADER CABLE
AA-N-2W-LEAD-10FT	2 WIRE 10FT IP68 LEADER CABLE
AA-N-2W-LEAD-30FT	2 WIRE 30FT IP68 LEADER CABLE
AA-N-2W-LEAD-50FT	2 WIRE 50FT IP68 LEADER CABLE
AA-N-2W-JUMP-1FT	2 WIRE 1FT IP68 JUMPER CABLE
AA-N-2W-JUMP-4FT	2 WIRE 4FT IP68 JUMPER CABLE
AA-N-G-MC	NEON MOUNTING CLIP
AA-N-FLEX-PRO-3.28FT	3.28FT STAINLESS STEEL SERRATED FLEXIBLE PROFILE
AA-N-PRO-4FT	4FT ALUMINUM NEON PROFILE
AA-N-G-H-HYBRID-PRO-3.28FT	3.28FT SEMI RIGID SERRATED HORIZONTAL BENDING PROFILE
AA-N-2W-EC	2 WIRE EACH END CAP