

ACE-N-V | NEON VERTICAL COLOR CHANGING





PROJECT: _____

DISTRIBUTOR: _____

CONTRACTOR: _____

TYPE _____

COMMENTS _____



PHYSICAL

| | |
|-------------------------------|---|
| DIMENSIONS | 16mm (0.63") WIDTH *15mm (0.59") HEIGHT |
| MINIMUM BENDING RADIUS | 200mm (7.87") |
| BEND | VERTICAL BENDING |
| OPERATING TEMPERATURE | -40°F (-40°C) TO 113°F (45°C) |
| IP RATING | IP67 |
| MOUNTING | CLIPS OR PROFILE |
| LEAD TYPE | LEAD SOLD SEPARATELY |

ORDERING INFORMATION

| PRODUCT | INTENSITY | FEED | CCT | IP | LENGTH |
|-------------------|-----------------|--|------------------|----------------|----------------|
| ACE-N-V | XXX | XX | XXK | IP67 | XXFT |
| ACE NEON VERTICAL | 160 = 160 LM/FT | EF = END FEED BF = BOTTOM FEED SLF = SIDE LEFT FEED SRF = SIDE RIGHT FEED | RGBW = RGB 3000K | IP67 = OUTDOOR | PROVIDE LENGTH |


ACE-N-V | NEON VERTICAL COLOR CHANGING




ELECTRICAL

| OUTPUT | CCT (CORRELATED COLOR TEMPERATURE) | | | | MAX RUN | PRODUCTION INTERVALS | WATTAGE | INPUT VOLTAGE |
|------------|------------------------------------|-------|-------|-------|---------|----------------------|---------|---------------|
| | RED | BLUE | GREEN | 3000K | | | | |
| ~160 LM/FT | 625NM | 455NM | 515NM | 151 | 16' | 62.50mm (2.46") | 4.6w/FT | 24v DC |

FEED OPTIONS




END FEED



SIDE LEFT FEED

SIDE RIGHT FEED



BOTTOM FEED

PERFORMANCE

| | |
|-------------------|---------|
| CRI | 90+ |
| LUMEN MAINTENANCE | 50,000 |
| BINNING | SINGLE |
| WARRANTY | 5 YEARS |

ACCESSORIES (SOLD SEPARATELY)

| | |
|---------------------------------|---|
| AA-N-5W-LEAD-6FT | 5 WIRE 6FT IP68 LEADER CABLE (MRI SAFE) |
| AA-N-5W-LEAD-10FT | 5 WIRE 10FT IP68 LEADER CABLE (MRI SAFE) |
| AA-N-5W-LEAD-30FT | 5 WIRE 30FT IP68 LEADER CABLE (MRI SAFE) |
| AA-N-5W-LEAD-50FT | 5 WIRE 50FT IP68 LEADER CABLE (MRI SAFE) |
| AA-N-5W-JUMP-1FT | 5 WIRE 1FT IP68 JUMPER CABLE (MRI SAFE) |
| AA-N-5W-JUMP-4FT | 5 WIRE 4FT IP68 JUMPER CABLE (MRI SAFE) |
| AA-N-MC | SINGLE NEON MOUNTING CLIP (NOT MRI SAFE) |
| AA-N-FLEX-PRO-3.28FT | 3.28FT STAINLESS STEEL SERRATED FLEXIBLE PROFILE (NOT MRI SAFE) |
| AA-N-PRO-4FT | 4FT ALUMINUM NEON PROFILE (MRI SAFE) |
| AA-N-V-HYBRID-PRO-3.28FT | 3.28FT SEMI RIGID SERRATED VERTICAL BENDING PROFILE (MRI SAFE) |
| AA-N-5W-EC | 5 WIRE SINGLE END CAP (MRI SAFE) |