

# ACE-N-V | NEON VERTICAL STATIC COLOR




PROJECT: \_\_\_\_\_

DISTRIBUTOR: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_

TYPE \_\_\_\_\_

COMMENTS \_\_\_\_\_



## PHYSICAL

<b>DIMENSIONS</b>	16mm (0.63") WIDTH *15mm (0.59") HEIGHT
<b>MINIMUM BENDING RADIUS</b>	200mm (7.87")
<b>BEND</b>	VERTICAL BENDING
<b>OPERATING TEMPERATURE</b>	-40°F (-40°C) TO 113°F (45°C)
<b>IP RATING</b>	IP67
<b>MOUNTING</b>	CLIPS OR PROFILE
<b>LEAD TYPE</b>	6FT LEAD SOLD SEPARATELY

## ORDERING INFORMATION


PRODUCT	INTENSITY	FEED	CCT	IP	LENGTH
ACE-N-V	XX	XX	X	IP67	XXFT
ACE NEON VERTICAL	SC = STATIC COLOR	EF = END FEED BF = BOTTOM FEED SLF = SIDE LEFT FEED SRF = SIDE RIGHT FEED	R = RED G = GREEN B = BLUE	IP67 = OUTDOOR	1FT = 1 FOOT 4FT = 4 FEET 8FT = 8 FEET 12FT = 12 FEET

# ACE-N-V | NEON VERTICAL STATIC COLOR


## ELECTRICAL

OUTPUT	COLOR (NANOMETERS)			MAX RUN	WATTAGE	INPUT VOLTAGE
	RED	GREEN	BLUE			
SC	620NM	515NM	460NM	30'	3.0w/FT	24v DC


## FEED OPTIONS




**END FEED**



**SIDE LEFT FEED**



**SIDE RIGHT FEED**



**BOTTOM FEED**

## PERFORMANCE

LUMEN MAINTENANCE

50,000

WARRANTY

5 YEARS

## ACCESSORIES (SOLD SEPARATELY)

<b>AA-N-2W-LEAD-6FT</b>	2 WIRE 6FT IP68 LEADER CABLE
<b>AA-N-2W-LEAD-10FT</b>	2 WIRE 10FT IP68 LEADER CABLE
<b>AA-N-2W-LEAD-30FT</b>	2 WIRE 30FT IP68 LEADER CABLE
<b>AA-N-2W-LEAD-50FT</b>	2 WIRE 50FT IP68 LEADER CABLE
<b>AA-N-2W-JUMP-1FT</b>	2 WIRE 1FT IP68 JUMPER CABLE
<b>AA-N-2W-JUMP-4FT</b>	2 WIRE 4FT IP68 JUMPER CABLE
<b>AA-N-MC</b>	NEON MOUNTING CLIP
<b>AA-N-FLEX-PRO-3.28FT</b>	3.28FT STAINLESS STEEL SERRATED FLEXIBLE PROFILE
<b>AA-N-PRO-4FT</b>	4FT ALUMINUM NEON PROFILE
<b>AA-N-V-HYBRID-PRO-3.28FT</b>	3.28FT SEMI RIGID SERRATED VERTICAL BENDING PROFILE
<b>AA-N-2W-EC</b>	2 WIRE EACH END CAP