

# 96W | LED DRIVER








PROJECT: \_\_\_\_\_

DISTRIBUTOR: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_

TYPE \_\_\_\_\_

COMMENTS \_\_\_\_\_



# 96W | LED DRIVER



## FEATURES

- ISOLATED 0-10V DIMMING
- CLASS 2
- OVERLOAD PROTECTION
- FLICKER FREE DIMMING DOWN TO 1%
- FULLY STANDALONE UL LISTING
- DIMS PWM, INCANDESCENT, ELV , MLV LOADS

## PHYSICAL

DIMENSIONS	75.80mm (2.98") WIDTH * 40mm (1.57") HEIGHT * 273mm (10.74")
OPERATING TEMPERATURE	-31°F(-50°C) TO 122°F (50°)
OUTPUT VOLTAGE	24v DC
IP RATING	IP66 / IP67 (WHEN PAIRED WITH WEATHERPROOF ENCLOSURE)
INPUT VOLTAGE	120v-347vAC
DIMMING RANGE	0% TO 100% BASED OFF DIMMERS CAPABILITIES

## ORDERING INFORMATION

PRODUCT		WATTAGE
ACE-PWR	-	96W
ACE-POWER =ACE POWER		96W = 96 WATT

## PERFORMANCE

WARRANTY	5 YEARS
----------	---------

## WIRING DIAGRAMS

