ACE-A | COLOR CHANGING SHEET INDOOR







LISTED









COMMENTS

PROJECT:
DISTRIBUTOR:
CONTRACTOR:
TYPE

24"






SPECS

Dimensions	24" (609.60mm) LENGTH * 12" (304.80mm) WIDTH * 0.08" (2.032mm) HEIGHT
Operating temperature	-4°F to 113°F
IP Rating	IP20 Indoor
Mounts via	3M VHB tape (included), Screw into holes (screws not included), or by staple gun (not included)
Accessories	Not included sold separately
CRI	90+
Binning	Single
Warranty	5 years
Input voltage	24V DC
Available sizes	12"x24" rectangle
Field cuttable	Yes every 6" (152.40mm)
Beam Angle	120°
Dimming	DMX, PWM

ORDERING INFORMATION



ACE-A | COLOR CHANGING SHEET INDOOR



ELECTRICAL

OUTDUT	0175		CI	СТ		- WATTACE	MAY CONNECTIONS	INPUT
OUTPUT SIZE	RED	GREEN	BLUE	3000K	WATTAGE MAX CONNECT	MAX CONNECTIONS	VOLTAGE	
~400 LM/FT	1 FT ²	625NM	515NM	455NM	405	30W	3FT²	24V DC


LEADER CABLE SOLD SEPARATELY (CONNECTS SHEET TO THE DRIVER)

AA-T-A-5W-SNAPON-LEAD-6FT 5 WIRE 6FT SNAPON LEAD



JUMPER CABLE SOLD SEPARATELY (TO CONNECT SHEET TO SHEET)

AA-T-A-5W-SNAPON-JUMP-2IN 5 WIRE 2IN SNAPON JUMP



DRIVERS SOLD SEPARATELY (POWER UP THE PRODUCT)

ACE-PWR-36W	120V-277V INPUT, 5 IN 1 DIMMING 36W CLASS 2 POWER SUPPLY
ACE-PWR-96W	120V-277V INPUT, 5 IN 1 DIMMING 96W CLASS 2 POWER SUPPLY
ACE-PWR-192W	120V-277V INPUT, 5 IN 1 DIMMING 192W CLASS 2 POWER SUPPLY







ACE-A | COLOR CHANGING SHEET INDOOR



DECODERS SOLD SEPARATELY (TRANSLATES DMX512 TO THE SHEET)

ACE-PWR-DMX-4C	ACE 100W 512 DMX DECODER 4 CHANNEL
ACE-PWR-DMX-4C-IP67	ACE 100W 512 DMX DECODER 4 CHANNEL IP67
ACE-PWR-DMX-4C-BT	ACE 100W 512 DMX DECODER 4 CHANNEL BLUETOOTH







CONTROLLERS (TRANSLATES DMX512 TO THE SHEET)

ACE-DMX-CTRL-1	ACE WALL MOUNT 1 ZONE TWO UNIVERSE DMX CONTROLLER
ACE-DMX-CTRL-10	ACE WALL MOUNT 10 ZONE TWO UNIVERSE DMX CONTROLLER



