ACE-A | TUNABLE WHITE SHEET INDOOR







LISTED









COMMENTS

PROJECT: **DISTRIBUTOR: CONTRACTOR: TYPE**

24"






SPECS

Dimensions	24" (609.60mm) LENGTH * 12" (304.98mm) WIDTH * 0.26" (6.60mm) HEIGHT	
Operating temperature	-4°F to 113°F	
IP Rating	IP20 Indoor	
Mounts via	3M VHB tape (included), Screw into holes (screws not included), or by staple gun (not included)	
Accessories	Not included sold separately	
CRI	90+	
Binning	Single	
Warranty	5 years	
Input voltage	24V DC	
Available sizes	12"x24" rectangle	
Field cuttable	Yes every 2" (50.80mm)	
Beam Angle	120°	
Dimming	0-10V, DMX	

ORDERING INFORMATION




ACE-A | TUNABLE WHITE SHEET INDOOR



ELECTRICAL

OUTPUT SIZE	ССТ		WATTAOF	MAY CONNECTIONS	INPUT	
	2700K	6500K	WATTAGE	MAX CONNECTIONS	VOLTAGE	
~550LM/FT	1 FT ²	495	550	5W	19 FT ²	24V DC
~1470LM/FT	1 FT ²	1323	1470	10W	9 FT ²	
~2200LM/FT	1 FT ²	1962	2180	15W	6 FT ²	
~2900LM/FT	1 FT²	2556	2840	20W	4 FT ²	

LEADER CABLE SOLD SEPARATELY (CONNECTS SHEET TO THE DRIVER)





JUMPER CABLE SOLD SEPARATELY (TO CONNECT SHEET TO SHEET)

AA-T-A-3W-SNAPON-JUMP-2IN 3 WIRE 2IN SNAPON JUMP



DRIVERS SOLD SEPARATELY (POWER UP THE PRODUCT)

ACE-PWR-36W	120V-277V INPUT, 5 IN 1 DIMMING 36W CLASS 2 POWER SUPPLY
ACE-PWR-96W	120V-277V INPUT, 5 IN 1 DIMMING 96W CLASS 2 POWER SUPPLY
ACE-PWR-192W	120V-277V INPUT, 5 IN 1 DIMMING 192W CLASS 2 POWER SUPPLY







ACE-A | TUNABLE WHITE SHEET INDOOR



DECODERS SOLD SEPARATELY (TRANSLATES DMX512 TO THE SHEET)

ACE-PWR-DMX-4C	ACE 100W 512 DMX DECODER 4 CHANNEL
ACE-PWR-DMX-4C-IP67	ACE 100W 512 DMX DECODER 4 CHANNEL IP67
ACE-PWR-DMX-4C-BT	ACE 100W 512 DMX DECODER 4 CHANNEL BLUETOOTH







CONTROLLERS (TRANSLATES DMX512 TO THE SHEET)

ACE-DMX-CTRL-1	ACE WALL MOUNT 1 ZONE TWO UNIVERSE DMX CONTROLLER
ACE-DMX-CTRL-10	ACE WALL MOUNT 10 ZONE TWO UNIVERSE DMX CONTROLLER



