

# ACE-C1-SC-IP20/IP67



Job name:	
Distributor:	
Contractor:	
Specifier:	
Type:	

Dimensions of IP20 tape	0.31" Width * 0.07" Height
Dimensions of IP67 tape	0.39" Width * 0.15" Height
Minimum bending radius	0.39"
Bend orientation	Vertical
Flexible	Yes, vertically only
Operating temperature	-13°F to 113°F
IP Rating	IP20 Indoor / IP67 Outdoor
Static color options	Red, Green, Blue, Yellow, Orange, Tiffany Blue, Marrs Green, Pink
Mounting included	3M VHB
Mounting available but sold separately	clips or profiles
Power Lead	Pre-soldered 10' lead
CRI	N/A
Warranty	5 years
Input voltage	24V DC
Diodes per ft	146
Field cuttable	Yes every 1.96"
Beam Angle	180°
Dimming	0-10V, ELV
SDMC	<3
Binning	Single



# ACE-C1-SC-IP20/IP67



ELECTRICAL										
SC   WATTAGE	COLOR								MAX CONT. RUN	MAX RUN W/ 96W
	RED	GREEN	BLUE	YELLOW	ORANGE	TIFFANY BLUE	MARRS GREEN	PINK		
SC   4.57W/FT	620-630NM	520-530NM	455-465NM	585-595NM	595-605NM	-	-	-	20'	20'

## PART BUILDER

Select Product	Select Color	Select IP Rating	Select Length
ACE-C1-SC	R = RED	IP20 = IP20	XXFT
	G = GREEN	IP67 = IP67	
	B = BLUE		
	Y = YELLOW		
	O = ORANGE		
	TB = TIFFANY BLUE		
	MG = MARRS GREEN		
	P = PINK		

## ACCESSORIES (sold separately)

LEADER CABLE: (connects to tape)

**AA-T-2W-LEAD-CL** ACE ACCESSORIES TAPE **IP20** 5/8/10/12MM PRE-SOLDERED 20AWG 2 WIRE CUSTOM LENGTH JUMPER



**AA-C1-2W-SNAPON-LEAD-6FT** ACE ACCESSORIES **IP20** 8MM C1 SERIES 2W SNAPON 6FT LEADER CABLE



JUMPER CABLE: (connects tape to tape)

**AA-T-2W-JUMP-CL** ACE ACCESSORIES TAPE **IP20** 5/8/10/12MM PRE-SOLDERED 20AWG 2 WIRE CUSTOM LENGTH JUMPER CABLE



**AA-C1-2W-SNAPON-JUMP-6IN** ACE ACCESSORIES **IP20** 8MM C1 SERIES 2W SNAPON 6IN JUMPER CABLE




# ACE-C1-SC-IP20/IP67



## ACCESSORIES (sold separately)

JUMPER CABLE: (connects tape to tape)

**AA-C1-2W-SNAPON-LC** ACE ACCESSORIES **IP20** 8MM C1 SERIES 2W SNAPON L CONNECTOR



**AA-C1-2W-SNAPON-SC** ACE ACCESSORIES **IP20** 8MM C1 SERIES 2W SNAPON STRAIGHT CONNECTOR



POWER SUPPLIES: (powers the tape)


**ACE-PWR-36W** ACE 36W CLASS 2 POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING



**ACE-PWR-96W** ACE 96W CLASS 2 POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING



**ACE-PWR-192W** ACE 192W CLASS 2 POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING



MOUNTING OPTIONS: (secure the item onto structure)

**AA-C1-2W-MC** ACE ACCESSORIES **IP20** 8MM C1 SERIES 2 WIRE SINGLE MOUNTING CLIP



**AA-C1-2W-MC-IP67** ACE ACCESSORIES **IP67** 10MM C1 SERIES 2 WIRE SINGLE MOUNTING CLIP



<b>PRO-101-MC-XX-XX-4FT</b>	<b>PRO-109-MC-XX-XX-4FT</b>	<b>PRO-203-RC-XX-XX-4FT</b>	<b>PRO-501-RC-XX-XX-4FT</b>
<b>PRO-102-MC-XX-XX-4FT</b>	<b>PRO-110-MC-XX-XX-4FT</b>	<b>PRO-205-RC-XX-XX-4FT</b>	<b>PRO-502-RC-XX-XX-4FT</b>
<b>PRO-103-MC-XX-XX-4FT</b>	<b>PRO-111-MC-XX-XX-4FT</b>	<b>PRO-301-MC-XX-XX-4FT</b>	<b>PRO-503-RC-XX-XX-4FT</b>
<b>PRO-106-MC-XX-XX-4FT</b>	<b>PRO-112-MC-XX-XX-4FT</b>	<b>PRO-302-MC-XX-XX-4FT</b>	<b>PRO-504-RC-XX-XX-4FT</b>
<b>PRO-107-MC-XX-XX-4FT</b>	<b>PRO-114-MC-XX-XX-4FT</b>	<b>PRO-303-MC-XX-XX-4FT</b>	<b>PRO-505-RC-XX-XX-4FT</b>
<b>PRO-108-MC-XX-XX-4FT</b>	<b>PRO-201-RC-XX-XX-4FT</b>	<b>PRO-401-SK-XX-XX-4FT</b>	<b>PRO-601-SF-XX-XX-4FT</b>
	<b>PRO-202-RC-XX-XX-4FT</b>	<b>PRO-402-SK-XX-XX-4FT</b>	<b>PRO-701-RC-XX-XX-4FT</b>



rev 01/26

© 2026 Ace Illuminations. All rights reserved.  
 Specifications and content subject to change without notice. Protected by international copyright laws.  
 info@aceilluminations.com | 702.960.4249

cont. on 3