

ACE-K-SC-IP67



Job name:

Distributor:

Contractor:

Specifier:

Type:

TECHNICAL DATA

Dimensions of IP67 tape	0.49" Width * 0.16" Height
Minimum bending radius	2.36"
Bend orientation	Vertical
Flexible	Yes
Operating temperature	-4°F to 122°F
IP Rating	IP67 Outdoor
Lumens available	N/A
Static color options	Red, Green, Blue, Yellow, Amber, Violet, Electric Blue
Mounting included	3M VHB
Mounting available but sold separately	clips & profiles
Power Lead	Pre-soldered 6' lead
Warranty	5 years
Input voltage	24V DC
Diodes per ft	72
Field cuttable	Yes every 1.30"
Beam Angle	120°
Dimming	0-10V, ELV
L70	54,000+
Binning	N/A



rev 08/26

© 2026 Ace Illuminations. All rights reserved.

Specifications and content subject to change without notice. Protected by international copyright laws.
info@aceilluminations.com | 702.960.4249

cont. on 1


ACE-K-SC-IP67



ELECTRICAL

SC WATTAGE	COLOR							MAX CONT. RUN	MAX RUN W/ 96W
	RED	GREEN	BLUE	YELLOW	AMBER	VIOLET	ELECTRIC BLUE		
SC 3.56W/FT	620-630NM	520-530NM	465-470NM	585-595NM	590NM	446NM	490NM	26'	26'

DIMENSIONS



PART BUILDER

Select Product	Select Lumens	Select CCT	Select IP Rating	Select Length
ACE K SERIES	SC = STATIC COLOR	R = RED	IP67	XXFT
		G = GREEN		
		B = BLUE		
		Y = YELLOW		
		A = AMBER		
		VL = VIOLET		
		EC = ELECTRIC BLUE		

FINALIZED PART NUMBER

ACE-K - SC - X - IP67 - XXFT



rev 08/26

© 2026 Ace Illuminations. All rights reserved.

Specifications and content subject to change without notice. Protected by international copyright laws.
info@aceilluminations.com | 702.960.4249

cont. on 2

ACE-K-SC-IP67



ACCESSORIES (sold separately)

LEADER CABLE: (connects to tape)

AA-T-2W-LEAD-CL ACE ACCESSORIES TAPE IP20 PRE-SOLDERED 20AWG 2 WIRE LEADER CABLE CUSTOM LENGTH

JUMPER CABLE: (connects tape to tape)

AA-T-2W-JUMP-CL ACE ACCESSORIES TAPE IP20 PRE-SOLDERED 20AWG 2 WIRE JUMPER CABLE CUSTOM LENGTH

POWER SUPPLIES: (powers the tape)

ACE-PWR-36W ACE 36W CLASS 2 POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING

ACE-PWR-96W ACE 96W CLASS 2 POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING

ACE-PWR-192W ACE 192W CLASS 2 POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING

MOUNTING OPTIONS: (secure the item onto structure)

AA-T-PC-IP67 ACE ACCESSORIES TAPE IP67 PLASTIC CLIP (1 PER FT IS RECOMMENDED)

PROFILES PLEASE REFER TO ACE [PROFILES](#)



rev 08/26

© 2026 Ace Illuminations. All rights reserved.

Specifications and content subject to change without notice. Protected by international copyright laws.
info@aceilluminations.com | 702.960.4249

cont. on 3