

ACE-N-M-SW-IP67



Job name:
Distributor:
Contractor:
Type:

TECHNICAL DATA	
Dimension for Static White	0.39" WIDTH * 0.36" HEIGHT
Minimum bending radius	1.97"
Bend orientation	Vertical
Operating temperature	-4°F to 104°F
IP Rating	IP67 Outdoor
Lumen maintenance (L70)	50,000 hrs
Neon Lead	Sold separately (see below for lengths available)
Lumens available for Static White	400LM/FT, 600LM/FT
Static White Options	2700K, 3000K, 3500K, 4000K,
Mounting available but sold separately	mounting clips or profiles
CRI	90+
Warranty	5 years
Input voltage	24V DC
Diodes per ft	76
Field cuttable	No
Production intervals	every 0.78"
Beam Angles for Static White	150°
Dimming	ELV, TRIAC, 0-10V
Silicone finish	White
Material	Silicone




ACE-N-M-SW-IP67



ELECTRICAL							
WATTAGE	CCT					MAX CONT. RUN PER POWER FEED	TOTAL LOAD W/ 96W DRIVER
	2700K	3000K	3500K	4000K	5000K		
3.1 W/FT	390	400	412	419	417	28'	30'
4.6 W/FT	589	602	614	623	621	18'	20'

DIMENSIONS



PART BUILDER

Select Product	Select Lumens	Select Feed	Select CCT	Select IP	Select Length
ACE NEON MINI	400 = 400LM/FT 600 = 600LM/FT	EF = END FEED	27K = 2700K 30K = 3000K 35K = 3500K 40K = 4000K 50K = 5000K	IP67	CLXX = CUSTOM LENGTH

FINALIZED PART NUMBER							
ACE-N-M	-	XOO	-	EF	-	XXK	- IP67 - CLXX



ACE-N-M-SW-IP67



ACCESSORIES (sold separately)

LEADER CABLE:	(connects to tape)	
AA-N-M-2W-LEAD-10FT	ACE ACCESSORIES IP67 NEON MINI SINGLE 2 WIRE 10FT BARE LEAD	
JUMPER CABLE:	(connects to tape to tape)	
AA-N-M-2W-JUMP-1FT	ACE ACCESSORIES IP67 NEON MINI SINGLE 2 WIRE 1FT JUMPER CABLE	
AA-N-M-2W-JUMP-6IN	ACE ACCESSORIES IP67 NEON MINI SINGLE 2 WIRE 6IN JUMPER CABLE	
END CAP:	(to terminate the end of a run)	
AA-N-M-2W-EC	ACE ACCESSORIES IP67 NEON MINI SINGLE 2 WIRE END CAP	
MOUNTING:	(secure the item onto structure)	
AA-N-M-MC	ACE ACCESSORIES IP67 NEON MINI SINGLE MOUNTING CLIP	
AA-N-M-PRO-4FT	ACE ACCESSORIES NEON MINI 4FT PROFILE	
POWER SUPPLIES:	(to power the basilisk)	
ACE-PWR-36W	ACE 36W CLASS 2 INDOOR & OUTDOOR POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING	
ACE-PWR-96W	ACE 96W CLASS 2 INDOOR & OUTDOOR POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING	
ACE-PWR-192W	ACE 192W CLASS 2 INDOOR & OUTDOOR POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING	

