


ACE-N-OB-SW-IP65



Job name:
Distributor:
Contractor:
Type:

TECHNICAL DATA	
Dimension for Static White	0.98"
Minimum bending radius	7.87"
Bend orientation	Vertical and horizontal, 360°
Operating temperature	-13°F to 113°F
IP Rating	IP65 Outdoor
Lumen maintenance (L70)	50,000 hrs
Neon Lead	Pre-installed 10' leader cable
Lumens available for Static White	16LM/FT
Static White Options	2200K, 2400K, 2700K, 3000K, 3500K, 4000K, 5000K
Mounting available but sold separately	mounting clips, couplers, suspension kit or profiles
CRI	90+
Binning	Single
Warranty	5 years
Input voltage	24V DC
Diodes per ft	74
Field cuttable	No
Production intervals	every 1.96"
Beam Angles for Static White	360°
Dimming	ELV, TRIAC, 0-10V
Silicone finish	Black
Material	Silicone




ACE-N-OB-SW-IP65



ELECTRICAL									
WATTAGE	CCT							MAX CONT. RUN PER POWER FEED	TOTAL LOAD W/ 96W DRIVER
	2200K	2400K	2700K	3000K	3500K	4000K	5000K		
3.0W/FT	10	22	24	26	25	25	23	16'	32'

DIMENSIONS



PART BUILDER

Select Product	-	Select Lumens	-	Select Feed	-	Select CCT	-	Select IP	-	Select Length
ACE NEON OMNI BLACK		16 = 16LM/FT		EF = END FEED SF = SIDE FEED		22K = 2200K 24K = 2400K 27K = 2700K 30K = 3000K 40K = 4000K 50K = 5000K		IP65		CLXX = CUSTOM LENGTH

FINALIZED PART NUMBER									
ACE-N-OB	-	16	-	XF	-	XXK	-	IP65	- CLXX



ACE-N-OB-SW-IP65



ACCESSORIES (sold separately)

CONNECTORS:

(to support continuous runs)

AA-N-O-EF-CJ

ACE ACCESSORIES END FEED CLEAR JOINER

AA-N-O-SF-CJ


ACE ACCESSORIES SIDE FEED CLEAR JOINER

AA-N-O-EF-BJ

ACE ACCESSORIES END FEED BLACK JOINER

AA-N-O-SF-BJ

ACE ACCESSORIES SIDE FEED BLACK JOINER



POWER SUPPLIES:

(to power the neon)

ACE-PWR-36W


ACE 36W CLASS 2 INDOOR & OUTDOOR POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING

ACE-PWR-96W

ACE 96W CLASS 2 INDOOR & OUTDOOR POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING

ACE-PWR-192W

ACE 192W CLASS 2 INDOOR & OUTDOOR POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING



MOUNTING:

(secure item onto the structure)

ACE-N-O-OSC

ACE ACCESSORIES PAIR OF HORIZONTAL OPEN SURFACE CLIPS

ACE-N-O-SC

ACE ACCESSORIES SINGLE MOUNTING CLIP

ACE-N-O-PRO-4FT

ACE ACCESSORIES CLEAR 4FT SURFACE PROFILE FOR HORIZONTAL MOUNTING

ACE-N-O-SP

ACE ACCESSORIES SINGLE SUSPENDED VERTICAL PENDANT ROPE



rev 01/26

© 2026 Ace Illuminations. All rights reserved.

Specifications and content subject to change without notice. Protected by international copyright laws.
info@aceilluminations.com | 702.960.4249

cont. on 3

ACE-N-OB-SW-IP65



ACCESSORIES (sold separately)			
MOUNTING:	(secure item onto the structure)		
AA-N-O-CT-4FT	ACE ACCESSORIES CLEAR 4FT TUBE FOR HORIZONTAL MOUNTING W/SUSPENSION KIT		
AA-N-O-VS	ACE ACCESSORIES SINGLE SURFACE VERTICAL PENDANT MOUNT		
AA-N-O-ARC	ACE ACCESSORIES PAIR OF COUPLERS FOR CEILING TO CEILING MOUNTING		
AA-N-O-SK	ACE ACCESSORIES PAIR OF LOCKING CLIPS W/ SUSPENDED HORIZONTAL KIT		
AA-N-O-OSCSK	ACE ACCESSORIES PAIR OF HORIZONTAL OPEN SURFACE CLIPS W/SUSPENSION KIT		
AA-N-O-PROSK-4FT	ACE ACCESSORIES CLEAR 4FT PROFILE W/SUSPENSION KIT		

