


ACE-A-SW-IP20



Job name:

Distributor:

Contractor:

Specifier:

Type:

TECHNICAL DETAILS

Dimensions of IP20 sheet	12" Width * 0.04" Height * 24" Length
Minimum bending radius	0.39"
Bend orientation	Vertical
Flexible	Yes
Operating temperature	-4°F to 113°F
IP Rating	IP20 Indoor
Lumens available	500LM/FT, 900LM/FT , 1400LM/FT, 1700LM/FT
Static white options	27K, 30K, 35K, 40K
Mounting included	3M VHB
Mounting not included	Screw into designated holes or stapled onto holes
Power Lead	Sold separately
CRI	90+
Warranty	5 years
Input voltage	24V DC
Diodes per ft ²	144
Field cuttable	Yes every 1"
Beam Angle	120°
Dimming	0-10V, ELV, Triac
Binning	Single



rev 10/26

© 2026 Ace Illuminations. All rights reserved.
Specifications and content subject to change without notice. Protected by international copyright laws.
info@aceilluminations.com | 702.960.4249



cont. on 1

ACE-A-SW-IP20



ELECTRICAL					
OUTPUT WATTAGE	CCT				MAX LOAD
	2700K	3000K	3500K	4000K	
~500 LM/FT 5W/FT	423LM/FT	447LM/FT	449LM/FT	470LM/FT	19FT ²
~900 LM/FT 10W/FT	828LM/FT	874LM/FT	876LM/FT	920LM/FT	9FT ²
~1400 LM/FT 15W/FT	1233LM/FT	1370LM/FT	1376LM/FT	1370LM/FT	6FT ²
~1700 LM/FT 20W/FT	1593LM/FT	1682LM/FT	1687LM/FT	1770LM/FT	4FT ²

DIMENSIONS



PART BUILDER

Select Product		Select Wattage		Select CCT		Select IP Rating		Select Length
ACE-A	-	5W = 5W/FT ²	-	27K = 2700K	-	IP20 = IP20	-	XFT ²
		10W = 10W/FT ²		30K = 3000K				
		15W = 15W/FT ²		35K = 3500K				
		20W = 20W/FT ²		40K = 4000K				

FINALIZED PART NUMBER						
ACE-A	-	XW	-	XXK	-	IP20 - X = XFT ²



rev 10/26

© 2026 Ace Illuminations. All rights reserved.
Specifications and content subject to change without notice. Protected by international copyright laws.
info@aceilluminations.com | 702.960.4249

cont. on 2

ACE-A-SW-IP20




ACCESSORIES (sold separately)

LEADER CABLE: (connects to sheet)

AA-T-2W-LEAD-CL ACE ACCESSORIES TAPE IP20/IP67 PRE-SOLDERED 20AWG 2 WIRE LEADER CABLE
CUSTOM LENGTH



AA-T-A-2W-SNAPON-LEAD-6FT ACE ACCESSORIES IP20 A SERIES 2 WIRE 6FT SNAPON LEAD



JUMPER CABLE: (connects sheet to sheet)

AA-T-2W-JUMP-CL ACE ACCESSORIES TAPE IP20/IP67 PRE-SOLDERED 20AWG 2 WIRE JUMPER CABLE
CUSTOM LENGTH



AA-T-A-2W-SNAPON-JUMP-6IN ACE ACCESSORIES IP20 A SERIES 2 WIRE 6IN SNAPON JUMP

POWER SUPPLIES: (powers the sheet)

ACE-PWR-36W ACE 36W CLASS 2 POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING

ACE-PWR-96W ACE 96W CLASS 2 POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING

ACE-PWR-192W ACE 192W CLASS 2 POWER SUPPLY 120V-277V INPUT, 5 IN 1 DIMMING



rev 10/26

© 2026 Ace Illuminations. All rights reserved.

Specifications and content subject to change without notice. Protected by international copyright laws.
info@aceilluminations.com | 702.960.4249

cont. on 3